

潜孔钻管代号


Codes for DTH drill pipes

例:JZG07630-1065-5.5=钻杆外径 ϕ 76mm, 有效长度3米, API $2\frac{3}{8}$ "REG, 扳手槽65mm, 管壁厚5.5mm。
Example:JZG07630-1065-5.5=DTH drill pipe OD ϕ 76mm, L3m, API $2\frac{3}{8}$ "REG, Wrench flat 65mm, Wall thickness=5.5mm.

JZG 076 30-10 65-5.5					
钻管代号 Codes for drill pipe JBT ROCK TOOLS			钻管壁厚 Wall thickness		
钻杆直径 Tube diameter			扳手槽尺寸 Wrench flats		
050= ϕ 50	060= ϕ 60		40=40 × 40	75=75 × 75	
076= ϕ 76	089= ϕ 89		55=55 × 55	83=83 × 83	
102= ϕ 102	114= ϕ 114		57=57 × 57	95=95 × 95	
127= ϕ 127	140= ϕ 140		65=65 × 65	12=120 × 120	
有效长度 Tube length			70=70 × 70		
05=0.5m	10=1m		内外螺纹 Box-Pin Threads		
15=1.5m	20=2m		10 2 $\frac{3}{8}$ "REG	11 2 $\frac{3}{8}$ "IF	
30=3m	40=4m		20 2 $\frac{7}{8}$ "REG	21 2 $\frac{7}{8}$ "IF	
45=4.5m	60=6m		30 3 $\frac{1}{2}$ "REG	31 3 $\frac{1}{2}$ "IF	
75=7.5m	83=8.34m		40 4 $\frac{1}{2}$ "REG	41 4 $\frac{1}{2}$ "IF	
			50 3 $\frac{1}{2}$ "BECO		
			60 F42 × 10		
			70 F48 × 10		
			80 1 $\frac{1}{2}$ " REG		


潜孔钻机Drilling machine:


山河智能Sunward SWDB165


 螺纹 Threads API REG 扳手槽 Wrench flats (mm)	长度 Length (mm)	直径 Dia. (mm)	单重 Weight (kg)	型号 Part No.
3 $\frac{1}{2}$ " API REG 壁厚14mm Wall thickness=14mm	7500 8340	108 108		JZG10875-30102-14 JZG10883-30102-14

潜孔钻机Drilling machine:

Atlas Copco ROC F6/L6/L8

 螺纹 Threads API REG 无扳手槽 NO Wrench flats	长度 Length (mm)	直径 Dia. (mm)	单重 Weight (kg)	型号 Part No.
2 $\frac{3}{8}$ " API REG 壁厚6.5mm Wall thickness=6.5mm	4000 5000	76 76	49 59	JZG07640-1000-6.5 JZG07650-1000-6.5
	4000 5000 6000	89 89 89	61 75 84	JZG08940-1000-6.5 JZG08950-1000-6.5 JZG08960-1000-6.5
2 $\frac{3}{8}$ " API REG 壁厚9mm Wall thickness=9mm	6000	89	132	JZG08960-1000-9.0
2 $\frac{7}{8}$ " API REG 壁厚6.5mm Wall thickness=6.5mm	4000 5000 6000	102 102 102	70 90 106	JZG10240-2000-6.5 JZG10250-2000-6.5 JZG10260-2000-6.5
3 $\frac{1}{2}$ " API REG 壁厚6.5mm Wall thickness=6.5mm	6000	114	117	JZG11460-3000-6.5
3 $\frac{1}{2}$ " API REG 壁厚9.0mm Wall thickness=9.0mm	6000	114	161	JZG11460-3000-9.0
4 $\frac{1}{2}$ " API REG 壁厚9.0mm Wall thickness=9.0mm	6000	140	445	JZG14060-4000-9.0

		长度 Length (mm)	直径 Dia. (mm)	单重 Weight (kg)	型号 Part No.
螺纹 Threads API REG	扳手槽 Wrench flats (mm)				
2 $\frac{3}{8}$ " API REG 壁厚5.5mm Wall thickness=5.5mm	57	1000	76	17	JZG07610-1057-5.5
	57	1500	76	22	JZG07615-1057-5.5
	57	2000	76	26	JZG07620-1057-5.5
	57	3000	76	35	JZG07630-1057-5.5
2 $\frac{3}{8}$ " API REG 壁厚5.5mm Wall thickness=5.5mm	65	1000	76	17	JZG07610-1065-5.5
	65	1500	76	22	JZG07615-1065-5.5
	65	2000	76	26	JZG07620-1065-5.5
	65	3000	76	35	JZG07630-1065-5.5
2 $\frac{3}{8}$ " API REG 壁厚6.5mm Wall thickness=6.5mm	65	3000	76	40	JZG07630-1065-6.5
	65	4500	76	56	JZG07645-1065-6.5
	65	6000	76	73	JZG07660-1065-6.5
2 $\frac{3}{8}$ " API REG 壁厚5.5mm Wall thickness=5.5mm	65	1000	89	20	JZG08910-1065-5.5
	65	1500	89	25	JZG08915-1065-5.5
	65	2000	89	30	JZG08920-1065-5.5
	65	3000	89	40	JZG08930-1065-5.5
2 $\frac{3}{8}$ " API REG 壁厚6.5mm Wall thickness=6.5mm	65	1000	89	20	JZG08910-1065-6.5
	65	1500	89	26	JZG08915-1065-6.5
	65	2000	89	32	JZG08920-1065-6.5
	65	3000	89	45	JZG08930-1065-6.5
	65	4500	89	65	JZG08945-1065-6.5
	65	6000	89	84	JZG08960-1065-6.5
	75	1000	102	25	JZG10210-1075-6.5
2 $\frac{3}{8}$ " API REG 壁厚6.5mm Wall thickness=6.5mm	75	1500	102	33	JZG10215-1075-6.5
	75	2000	102	40	JZG10220-1075-6.5
	75	3000	102	55	JZG10230-1075-6.5
	75	4500	102	78	JZG10245-1075-6.5
	75	6000	102	100	JZG10260-1075-6.5
2 $\frac{7}{8}$ " API REG 壁厚6.5mm Wall thickness=6.5mm	83	1000	102	25	JZG10210-2083-6.5
	83	1500	102	33	JZG10215-2083-6.5
	83	2000	102	40	JZG10220-2083-6.5
	83	3000	102	55	JZG10230-2083-6.5
	83	4500	102	78	JZG10245-2083-6.5
3 $\frac{1}{2}$ " API REG 壁厚6.5mm Wall thickness=6.5mm	83	6000	102	100	JZG10260-2083-6.5
	95	1000	114	31	JZG11410-3095-6.5
	95	1500	114	40	JZG11415-3095-6.5
	95	2000	114	49	JZG11420-3095-6.5
	95	3000	114	66	JZG11430-3095-6.5
	95	4500	114	86	JZG11445-3095-6.5
	95	6000	114	110	JZG11460-3095-6.5

		长度 Length (mm)	直径 Dia. (mm)	单重 Weight (kg)	型号 Part No.
螺纹 Threads API IF	扳手槽 Wrench flats (mm)				
2 $\frac{3}{8}$ " API IF 壁厚5.5mm Wall thickness=5.5mm	65	1000	89	20	JZG08910-1165-5.5
	65	1500	89	25	JZG08915-1165-5.5
	65	2000	89	30	JZG08920-1165-5.5
	65	3000	89	40	JZG08930-1165-5.5
2 $\frac{3}{8}$ " API IF 壁厚6.5mm Wall thickness=6.5mm	65	1000	89	20	JZG08910-1165-6.5
	65	1500	89	26	JZG08915-1165-6.5
	65	2000	89	32	JZG08920-1165-6.5
	65	3000	89	45	JZG08930-1165-6.5
	65	4500	89	65	JZG08945-1165-6.5
	65	6000	89	84	JZG08960-1165-6.5
2 $\frac{3}{8}$ " API IF 壁厚6.5mm Wall thickness=6.5mm	75	1000	102	25	JZG10210-1175-6.5
	75	1500	102	33	JZG10215-1175-6.5
	75	2000	102	40	JZG10220-1175-6.5
	75	3000	102	55	JZG10230-1175-6.5
	75	4500	102	78	JZG10245-1175-6.5
	75	6000	102	100	JZG10260-1175-6.5
2 $\frac{7}{8}$ " API IF 壁厚6.5mm Wall thickness=6.5mm	95	1000	114	31	JZG11410-2195-6.5
	95	1500	114	40	JZG11415-2195-6.5
	95	2000	114	49	JZG11420-2195-6.5
	95	3000	114	66	JZG11430-2195-6.5
3 $\frac{1}{2}$ " API IF 壁厚6.5mm Wall thickness=6.5mm	95	1000	114	31	JZG11410-3195-6.5
	95	1500	114	40	JZG11415-3195-6.5
	95	2000	114	49	JZG11420-3195-6.5
	95	3000	114	66	JZG11430-3195-6.5